| Sl. No. | Authors | Title | Journal name | Year |
|---|---|---|---|---|
| 1 | Domga, Karnan .M, OladoyinboFatai, Noumi Guy Bertrand, Tchatchueng Jean Bosco, Sieliechi Marie Joseph, Sathish-M and Deepak Pattanayak. K | A simple, economical one-pot microwave assisted synthesis of nitrogen and sulfur co-doped graphene for high energy supercapacitors | ElectrochimicaActa | 2020 |
| 2 | S. Mondal, Pitchiah E. Karthik, L. Sahoo, K. Chatterjee, M. Sathish and Ujjal K. Gautam, S. Mondal, Pitchiah E. Karthik, L. Sahoo, K. Chatterjee, M. Sathish and Ujjal K. Gautam, | High and reversible oxygen uptake in carbon dot solutions generated from polyethylene facilitating reactant-enhanced solar light harvesting | Nanoscale | 2020 |
| 3 | P. Thangasamy, J. Anandha Raj and M. Sathish | Transformation of multilayer WS2 nanosheets to 1D luminescent WS2 nanostructures by one-pot supercritical fluid processing for hydrogen evolution reaction | Materials Science in Semiconductor Processing | 2020 |
| 4 | S. Suresh Balaji, P. Anandhaganesh, MegalaMoorthy and M. Sathish | Efficient electrocatalytic activity for oxygen reduction reaction by Phosphorus doped graphene using Supercritical Fluid processing | Bulletin of Materials Science | 2020 |
| 5 | C. R. Kalaiselvi, P. Ravi, T. S. Senthil, M. Sathish, M. Kang | Synthesis of Ag and N-doped potassium tantalate perovskite nanocubes for enhanced photocatalytic hydrogen evolution | Materials Letters | 2020 |
| 6 | R. Rameshbabu, M. Sandhiya, G. Pecchi and M. Sathish | Effective Coupling of Cu (II) with BiOClnanosheets for High Performance Electrochemical Supercapacitor and Enhanced Photocatalytic Applications | Applied Surface Science | 2020 |
| 7 | M. Manikandan, K. Subramani, M. Sathish and S. Dhanuskodi | Hydrothermal Synthesis of Cobalt Telluride Nanorods for High Performance Hybrid Asymmetric Supercapacitor | RSC Advances | 2020 |

| | | | | |
|---|---|---|---|---|
| 8 | V. N. Rao, S. Pitchaimuthu, P. Ravi, M. Sathish, H. Han and S. M. Venkatakrishnan | Retorting Photocorrosion and Enhanced Charge Carrier Separation at CdSeNanocapsules by Chemically Synthesized TiO2 Shell for Photocatalytic Hydrogen Fuel Generation | ChemCatChem | 2020 |
| 9 | C. Murugan, M. Karnan, M. Sathish and A. Pandikumar | Construction of Heterostructure Based on Hierarchical Bi2MoO6 and G-C3N4 with Ease for Impressive Performance in Photoelectrocatalytic Water Splitting and Supercapacitor | Catalysis Science & Technology | 2020 |
| 10 | P. Ravi, V. Navakoteswara Rao, M.V. Shankar and M. Sathish | CuO@NiO core-shell nanoparticles decorated anatase TiO2 nanospheres for enhanced photocatalytic hydrogen production | International Journal of Hydrogen Energy | 2020 |
| 11 | R. Rameshbabu, M. Sandhiya and M. Sathish | Fe (III) ions grafted bismuth oxychloride nanosheets for enhanced electrochemical supercapacitor application | Journal of Electroanalytical Chemistry | 2020 |
| 12 | S. Natarajan, S. Kaipannan, Y. S. Lee, M. Sathish and V. Aravindan | Sandwich layered Li0.32Al0.68MnO2(OH)2 from spent Li-ion battery to build high-performance supercapacitor: Waste to energy storage approach | Journal of Alloys and Compounds | 2020 |
| 13 | S. Suresh Balaji, A. G. Karthick Raj, M. Karnan and M. Sathish | Investigations on the nature of electrolyte on the electrochemical supercapacitor performance of heteroatom doped graphene | Ionics | 2020 |
| 14 | P. Periasamy, T. Krishnakumar, V.P. Devarajan, M. Sandhiya, M. Sathish, M. Chavali, | Investigation of electrochemical supercapacitor performance of WO3-CdS nanocomposites in 1 M H2SO4 electrolyte prepared by microwave-assisted method | Materials Letters | 2020 |

| | | | | |
|---|---|---|---|---|
| 15 | S. Megala, M. Sathish, S. Harish, M. Navaneethan, S. Sohila, B. Liang, R. Ramesh | Enhancement of photocatalytic H2 evolution from water splitting by construction of two dimensional gC3N4/NiAl layered double hydroxides | Applied Surface Science | 2020 |
| 16 | S. Ida, P. Wilson, B. Neppolian, M. Sathish, ARM. Shaheer, P. Ravi | Tuning the type of nitrogen on N-RGO supported on N-TiO2 under ultrasonication/hydrothermal treatment for efficient hydrogen evolution-A mechanistic overview | UltrasonicsSonochemistry | 2020 |
| 17 | K. S. Archana, R. Naresh, E. Harsh, V. Rajendran, A. M. V. Mohan, B. Aiswary, P. P.Ragupathy, D. Dixon, | Effect of positive electrode modification on the performance of zinc-bromine redox flow batteries | Journal of Energy Storage | 2020 |
| 18 | K. S. Archana, S. Suresh, P. Ragupathy, M. Ulaganathan | Investigations on new Fe–Mn redox couple based aqueous redox flow battery | ElectrochimicaActa | 2020 |
| 19 | TK Bijoy, P Murugan, Vijay Kumar, | Atomic and electronic structure of solids of Ge2Br2PN, Ge2I2PN, Sn2Cl2PN, Sn2Br2PN and Sn2I2PN inorganic double helices: a first principles study | RSC Advances | 2020 |
| 20 | SR Ede, TK Bijoy, SS Sankar, P Murugan, S Kundu | Rational Design of Highly Efficient Perovskite Hydroxide for Electrocatalytic Water Oxidation | Inorganic Chemistry | 2020 |
| 21 | K Karthick, TK Bijoy, A Sivakumaran, AB MansoorBasha, P Murugan, S Kundu, Inorganic Chemistry | Enhancing Hydrogen Evolution Reaction Activities of 2H-Phase VS2 Layers with Palladium Nanoparticles | Inorganic Chemistry | 2020 |
| 22 | JV Rival, Nonappa, ES Shibu | Light-Triggered Reversible Supracolloidal Self-Assembly of Precision Gold Nanoclusters | ACS Applied Materials & Interfaces | 2020 |
| 23 | V. Balasubramanian, S. Kannan, S. T. Nishanthi, G. Sivakumar& K. Mohanraj | Elucidate the pseudocapacitivebehaviour of CuWO4 electrode synthesized by solid-state reaction, | Journal of Materials Science: Materials in Electronics | 2020 |

| | | | | |
|---|---|---|---|---|
| 24 | J.C.Selvakumari, S.T.Nishanthi, J.Dhanalakshmi, M.Ahila, D. P. Padiyan | Synthesis of graphene nanosheets using Camellia sinensis and its electrochemical behavior for energy storage application | Materials Chemistry and Physics | 2020 |
| 25 | N. Angulakshmi, R. B. Dhanalakshmi, M. Kathiresan, Yingke Zhou and A. M. Stephan | The suppression of lithium dendrites by a triazine- Q1 based porous organic polymer-laden PEO-based electrolyte and its application for all-solid-state - lithium batteries | Materials Chemistry Frontiers | 2020 |
| 26 | N. Angulakshmi, R. B. Dhanalakshmi, P. Półrolniczak, M. Walkowiak, P.Xie, X. Tian, Y. Zhou and A. M. Stephan | An efficient bi-functional permselective separator coated with cubic type-$Li_7La_3Zr_2O_{12}$ and activated carbon for lithium-sulfur batteries | Sustainable Energy&Fuels | 2020 |
| 27 | N. Angulakshmi, Y. Zhou, S. Suriyakumar, R. B. Dhanalakshmi, M. Satishrajan, S. Alwarappan, Mohamed H. Alkordi, and A. M. Stephan | Microporous Metal−Organic Framework (MOF)-Based Composite Polymer Electrolyte (CPE) Mitigating Lithium Dendrite Formation in All-Solid-State-Lithium Batteries | ACS Omega | 2020 |
| 28 | S. Suriyakumar, G. J.Rani and A. M.Stephan | $Fe_3O_4$-seated rGO–sulfur complex as a potential cathode material for lithium–sulfur batteries | Ionics | 2020 |
| 29 | S Arun, C Arul, S Mithin Kumar, U Venkat Kiran, S Mayavan | Study of Molybdenum Disulfide as a Negative Electrode Additive for Stationary Flooded Lead Acid Batteries with Tubular Positive Plates | ChemistrySelect | 2020 |

| | **Authors** | **Title** | **Journal name** | **Year** |
|---|---|---|---|---|

| Sl. No. | | | | |
|---|---|---|---|---|
| 1 | Deepa Elizabeth Mathew, S. Gopi, M. Kathiresan, S. Thomas, A. Manuel Stephan | Influence of MOF ligands on the electrochemical and interfacial properties of PEO-based electrolytes for all-solid- state lithium batteries. | ElectrochimicaActa | 2019 |
| 2 | H. Haritha, C. Reshma, J. Mary Gladys, S. Shruti, A. Manuel Stephan | Sulfonic groups stemmed ionic shield for polysulfides towards high performance Li–S batteries | ElectrochimicaActa | 2019 |
| 3 | S. Shruti, M. Kathiresan, A. Manuel Stephan | Charge-Discharge and Interfacial Properties of Ionic Liquid -Added Hybrid Electrolytes for Lithium-Sulfur Batteries | ACS Omega | 2019 |
| 4 | S Mithin Kumar, S Arun, SundarMayavan | Effect of carbon nanotubes with varying dimensions and properties on the performance of lead acid batteries operating under high rate partial state of charge conditions. | Journal of Energy Storage. | 2019 |
| 5 | G. Manibalan, G. Murugadoss, R. Thangamuthu, P. Ragupathy, M. Rajesh Kumar, R. Mohan Kumar, RamasamyJayavel | High Electrochemical Performance and Enhanced Electrocatalytic Behavior of a Hydrothermally Synthesized Highly Crystalline Heterostructure $CeO_2$@NiO Nanocomposite | Inorg. Chem | 2019 |
| 6 | AswathyRaghunandanan, PadikassuPeriasamy, P. Ragupathy | Surface-Activated Graphite Paper for High-Performance Lithium-Polysulfide Batteries | ACS Sustainable Chem. Eng, | 2019 |
| 7 | B. Moorthy, S. Kwon, Joo-Hyung Kim, P. Ragupathy | Tin sulfide modified separator as an efficient polysulfide trapper for stable cycling performance in Li–S batteries | Nanoscale Horizon | 2019 |
| 8 | N. Venkatesan, K. S. Archana, S. Suresh, R. Aswathy, M. Ulaganathan, P. Periasamy, P. Ragupathy | Boron-Doped Graphene as Efficient Electrocatalyst for Zinc-Bromine Redox Flow Battery | ChemElectroChem | 2019 |

| | | | | |
|---|---|---|---|---|
| 9 | Y. Munaiah D. BabuGorle, M. AnbukulandainathanP.Ragupathy, VijayamohananK.Pillai, | Solid-state thermal exfoliation of graphite nano-fibers to edge-nitrogenized graphene nanosheets for oxygen reduction reaction | J. Colloid Interface Sci | 2019 |
| 10 | R. Aswathy, S. Suresh, M. Ulaganathan, P. Ragupathy | Polysulfide diffusion controlled, non-shrinkable, porous, PAN/PES electrospun membrane for high energy Li-S battery application | Materials Today Energy | 2019 |
| 11 | Y. Munaiah, S. Boopathi, S. Senthil Kumar, P. Ragupathy | Unveiling the enhanced performance of non-platinum-based hybrid nanocomposites for selective electrocatalytic oxygen reduction | Materials Letters | 2019 |
| 12 | Y. Munaiah, T. N. Narayanan, P. Ragupathy, Vijayamohanan K. Pillai, | Electrochemical Exfoliation of Graphite to Fluorographene: An Effect of Degree of Functionalization on $2Br^-$ /$Br_2$ Redox Reaction | Chemistry Select | 2019 |
| 13 | J.CelinaSelvakumari, S.T.Nishanthi, J.Dhanalakshmi, M.Ahila, D. PathinettamPadiyan | Synthesis of graphene nanosheets using Camellia sinensis and its electrochemical behavior for energy storage application | Materials Chemistry and Physics | 2019 |
| 14 | VishwajitM.Gaikwad, Krishna K.Yadav, Sunaina, SuvankarChakraverty, S.E.Lofland, Kandalam V., Ramanujachary, S.T.Nishanthi, Ashok K.Ganguli, MenakaJha, | Design of process for stabilization of $La_2NiMnO_6$nanorods and their magnetic properties | Journal of Magnetism and Magnetic Materials | 2019 |
| 15 | Pranjali Yadav, S.T.Nishanthi, BhagyeshPurohit, AsifkhanShanavas, KamalakannanKailasam | Metal-free visible light photocatalytic carbon nitride quantum dots as efficient antibacterial agents: An insight study | Carbon | 2019 |
| 16 | S. T. Nishanthi, Krishna Kumar Yadav, ArabindaBaruah, KalpeshVaghasiya, Rahul Kumar Verma, Ashok K. Ganguli, MenakaJha | Nanostructured silver decorated hollow silica and their application in the treatment of microbial contaminated water at room temperature | New J. Chem., | 2019 |

| | | | | |
|---|---|---|---|---|
| 17 | K.O.Ogunniran, G.Murugadoss, R.Thangamuthu, S.T.Nishanthi, | Nanostructured $CeO_2$/$FeO_3$/Mn-rGO composite as anode material in Li-ion battery | Journal of Alloys and Compounds | 2019 |
| 18 | Ankush, Sujit KumarGuchhait, Sunaina, Suresh BabuG. N., M.Sreekanth, N.Kalaiselvi, Ashok KumarGanguli, MenakaJha | Energy efficient electrodes for lithium-ion batteries: Recovered and processed from spent primary batteries | J. Hazard. Mater. | 2019 |
| 19 | Karthikeyan C,Suresh Babu GN,Maruthamuthu S,Kalaiselvi N | Exploration of biogenic nitrogen doped carbon microspheres derived from resorcinol-formaldehyde as anode for lithium and sodium ion batteries | J. Colloid Interface Sci. | 2019 |
| 20 | Saravanan K, Remith P, Kalaiselvi N | Li–Air: Current Scenario and Its Future | Nanomaterials for electrochemical energy storage | 2019 |
| 21 | Karuppiah, S; Kalimuthu, B; Nazrulla, MA; Krishnamurty, S; Nallathamby, K. | An effective polysulfide trapping polar interlayer for high rate Li-S batteries | J. Mater. Chem. A | 2019 |
| 22 | Suresh, S; Ulaganathan, M; Pitchai, R. | Realizing highly efficient energy retention of Zn-$Br_2$ redox flow battery using rGO supported 3D carbon network as a superior electrode, | J. Power Sources | 2019 |
| 23 | Mullaivananathan, V; Kalaiselvi, N | $Sb_2S_3$ added bio-carbon: Demonstration of potential anode in lithium and sodium-ion batteries | Carbon | 2019 |
| 24 | Ulaganathan, M; Suresh, S; Mariyappan, K; Periasamy, P; Pitchai, R | New Zinc-Vanadium (Zn-V) Hybrid Redox Flow Battery: High-Voltage and Energy-Efficient Advanced Energy Storage System | ACS Sustain. Chem. Eng. | 2019 |
| 25 | Velmurugan, R; Premkumar, J; Pitchai, R; Ulaganathan, M; Subramanian, B | Robust, Flexible, and Binder Free Highly Crystalline $V_2O_5$ Thin Film Electrodes and Their Superior Supercapacitor Performances, | ACS Sustain. Chem. Eng. | 2019 |

| | | | | |
|---|---|---|---|---|
| 26 | Devi, MM; Sunaina; Singh, H; Kaur, K; Gupta, A; Das, A; Nishanthi, ST; Bera, C; Ganguli, AK; Jha, M. | New approach for the transformation of metallic waste into nanostructured $Fe_3O_4$ and $SnO_2$-$Fe_3O_4$heterostructure and their application in treatment of organic pollutant | Waste Manage | 2019 |
| 27 | Nagalakshmi, M; Kalaiselvi, N | Mesoporous dominant cashewnut sheath derived bio-carbon anode for LIBs and SIBs, | Electrochim. Acta | 2019 |
| 28 | Suriyakumar, S; Gopi, S; Kathiresan, M; Bose, S; Gowd, EB; Nair, JR; Angulakshmi, N; Meligrana, G; Bella, F; Gerbaldi, C; Stephan, AM., | Metal organic framework laden poly(ethylene oxide) based composite electrolytes for all-solid-state Li-S and Li-metal polymer batteries | Electrochim. Acta | 2019 |
| 29 | Nishanthi, ST; Baruah, A; Yadav, KK; Sarker, D; Ghosh, S; Ganguli, AK; Jha, M | New low temperature environmental friendly process for the synthesis of tetragonal MoO2 and its field emission properties | Applied surface science | 2019 |
| 30 | Silambarasan, K; Joseph, J; Mayavan, S | Effect of alkali cations on Pt based catalyst towards methanol oxidation reaction in acidic medium | Applied surface science | 2019 |
| 31 | Pongilat, R; Nallathamby, K., | Size-Dependent Charge Storage Behavior of Mesoporous Hollow Carbon Spheres for High-Performance Li-Se Batteries | J. Phys. Chem. C | 2019 |
| 32 | Kalimuthu, B; Muralidharan, N; Nallathamby, K | Active material infusion strategy dependent electrochemical performance of Se-S mixed cathode in Li-S batteries | Journal of Alloys and compounds | 2019 |
| 33 | Ogunniran, KO; Murugados, G; Thangamuthu, R; Nishanthi, ST | Nanostructured $CeO_2$/$FeO_3$/Mn-rGO composite as anode material in Li-ion battery | Journal of Alloys and compounds | 2019 |

| | | | | |
|---|---|---|---|---|
| 34 | Naresh, RP; Mariyappan, K; Archana, KS; Suresh, S; Ditty, D; Ulaganathan, M; Ragupathy, P | Activated Carbon-Anchored 3D Carbon Network for Bromine Activity and its Enhanced Electrochemical Performance in Zn-$Br_2$ Hybrid Redox Flow Battery, | ChemElectroChem. | 2019 |
| 35 | Natarajan, S; Ulaganathan, M; Bajaj, HC; Aravindan, V | Transformation of Spent Li-Ion Battery in to High Energy Supercapacitors in Asymmetric Configuration, | ChemElectroChem. | 2019 |
| 36 | Elizabeth, I; Singh, BP; Gopukumar, S. | Electrochemical performance of $Sb_2S_3$/CNT free-standing flexible anode for Li-ion batteries | J. Mater. Sci., | 2019 |
| 37 | Periasamy, P; Krishnakumar, T; Sandhiya, M; Sathish, M; Chavali, M; Siril, PF; Devarajan, VP. | Preparation and comparison of hybridized $WO_3$-V2$O_5$ nanocomposites electrochemical supercapacitor performance in KOH and H2SO4 electrolyte | Materials letters | 2019 |
| 38 | Sanmugam, A; Jeyaraman, AR; Venkatesan, S; Paramasivam, M; Kim, HS; Vikraman, D., A | One-pot chemical route to prepare poly 4, 4 '-diaminodiphenyl sulfone-zirconium dioxide/cerium dioxide hybrid nanocomposites for improved capacitance properties, | Materials letters | 2019 |
| 39 | Dixon, D; Avila, M; Ehrenberg, H; Bhaskar, A | Difference in Electrochemical Mechanism of $SnO_2$ Conversion in Lithium-Ion and Sodium-Ion Batteries: Combined in Operando and Ex Situ XAS Investigations | ACS Omega | 2019 |
| 40 | Kalaiappan, K; Marimuthu, S; Rengapillai, S; Murugan, R; Premkumar, T., Kombucha | Scoby-based carbon as a green scaffold for high-capacity cathode in lithium-sulfur batteries | Ionics | 2019 |

| | | | | |
|---|---|---|---|---|
| 41 | Natarajan, A; Murugavel, K; Madasamy, K; Suriyakumar, S; Illayaraja, N; Anupriya, N; Christy, M; Nahm, KS; Zhou, YK; Stephan, AM. | Charge-discharge behavior of Li-O-2 cell with viologen as redox catalyst: influence of cationic charge | Ionics | 2019 |
| 42 | Dixon, D; Babu, DJ; Bhaskar, A; Bruns, HM; Schneider, JJ; Scheiba, F; Ehrenberg, H. | Tuning the performance of vanadium redox flow batteries by modifying the structural defects of the carbon felt electrode | Beilstein J. Nanotechnol. | 2019 |
| 43 | Periasamy, P; Krishnakumar, T; Sandhiya, M; Sathish, M; Chavali, M; Siril, PF; Devarajan, VP. | Electrochemical investigation of hybridized $WO_3$-CdS semiconducting nanostructures prepared by microwave-assisted wet chemical route for supercapacitor application | J. Mater. Sci.-Mater. Electron. | 2019 |
| 44 | Packiyalakshmi, P; Chandrasekhar, B; Kalaiselvi, N | Domestic Food Waste Derived Porous Carbon for Energy Storage Applications, | Chemistry Select | 2019 |
| 45 | Selvakumar, K; Ulaganathan, M; Kumar, SMS; Thangamuthu, R; Periasamy, P; Ragupathy, P. | Electrospun Carbon Nanofiber Sprinkled with $Co_3O_4$ as an Efficient Electrocatalyst for Oxygen Reduction Reaction in Alkaline Medium | Chemistry Select | 2019 |
| 46 | Rajaram, R; Karuppasamy, D; Ragupathy, P; Mathiyarasu, J. | Understanding the role of glucose oxidase on carbon felt as electrodes in biocapacitor studies | Bull. Mat. Sci., | 2019 |